### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

# 1. - 11. (cancelled)

- 12. (currently amended) A cosmetic preparation, which wherein the preparation is a sprayable translucent or transparent oil-in-water microemulsion having a particle diameter in the range from about 10<sup>-2</sup> µm to about 10<sup>-1</sup> µm and comprising
- an oil phase consisting essentially of constituents of low volatility which include comprising at least one of an ester of an alkanecarboxylic acid with a chain length of from 3 to 30 carbon atoms and an alcohol with a chain length of from 3 to 30 carbon atoms, a  $C_{12-15}$ -alkyl benzoate, a hydrocarbon wax, a dialkyl ether, cyclomethicone, and hexamethylcyclotrisiloxane;
- an aqueous phase;
- one or more O/W emulsifiers selected from one or more of polyethoxylated emulsifiers, polypropoxylated emulsifiers, and polyethoxylated and polypropoxylated emulsifiers; and wherein the preparation is a cosmetic skin or hair cleansing preparation, a cosmetic skin or hair care preparation or a deodorant preparation and has a total emulsifier content of less than 20 % by weight, based on a total weight of the microemulsion.
- 13. (previously presented) The preparation of claim 12, wherein the preparation further comprises at least one of a perfume, a dyestuff and a pigment with a coloring effect.

- 14. (previously presented) The preparation of claim 12, wherein the preparation further comprises an astringent.
- 15. (previously presented) The preparation of claim 12, wherein the preparation further comprises a sunscreen.
- 16. (previously presented) The preparation of claim 12, wherein the preparation further comprises at least one of a cosmetically acceptable wax, fat and oil.
- 17. (previously presented) The preparation of claim 12, wherein the preparation further comprises a detersive surfactant.

# 18. (cancelled)

- 19. (previously presented) The preparation of claim 12, wherein the preparation further comprises at least one cosmetically acceptable organic solvent.
- 20. (previously presented) The preparation of claim 12, wherein the preparation further comprises at least one moisturizing and/or moisture retaining substance.

# 21. (cancelled)

22. (cancelled)

23. (previously presented) The preparation of claim 12, wherein the preparation further comprises at least one W/O emulsifier.

24. (previously presented) The preparation of claim 23, wherein the at least one W/O emulsifier is selected from monoglycerol esters and diglycerol esters of alkanecarboxylic acids having a chain length of from 8 to 24 carbon atoms, monoglycerol ethers and diglycerol ethers of alcohols having a chain length of from 8 to 24 carbon atoms, propylene glycol esters of alkanecarboxylic acids having a chain length of from 8 to 24 carbon atoms, and sorbitan esters of alkanecarboxylic acids having a chain length of from 8 to 24 carbon atoms.

# 25. (cancelled)

26. (previously presented) The preparation of claim 24, wherein the at least one W/O emulsifier comprises at least one of glycerol monocaprate, glyceryl isostearate, glyceryl isolaurate, sorbitan isostearate and glycerol monocleate.

# 27. - 31. (cancelled)

32. (previously presented) The preparation of claim 12, wherein the preparation has a total

emulsifier content of less than 10 % by weight.

33. (previously presented) The preparation of claim 12, wherein the preparation has a total emulsifier content of less than 8 % by weight.

## 34. (cancelled)

- 35. (previously presented) The preparation of claim 12, wherein the preparation is obtained by a process in which a mixture of base components comprising the oil phase, the aqueous phase, one or more of the O/W emulsifiers and, optionally, one or more substances selected from W/O emulsifiers, auxiliary substances and additives is brought to a temperature within or above a phase inversion temperature range and then cooled to room temperature.
- 36. (currently amended) A cosmetic preparation, wherein the preparation is based on a translucent or transparent oil-in-water microemulsion having a particle diameter in the range from about  $10^{-2} \, \mu m$  to about  $10^{-1} \, \mu m$  and comprising
- an oil phase consisting essentially of constituents of low volatility which include comprising at least one of an ester of an alkanecarboxylic acid with a chain length of from 3 to 30 carbon atoms and an alcohol with a chain length of from 3 to 30 carbon atoms, a  $C_{12-15}$ -alkyl benzoate, a hydrocarbon wax, a dialkyl ether, cyclomethicone, and hexamethylcyclotrisiloxane;
- an aqueous phase;

- one or more O/W emulsifiers selected from
- polyethylene glycol ethers of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- etherified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- esterified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-C(O)-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- cholesterol ethoxylates with a degree of ethoxylation of from 3 to 50;
- ethoxylated triglycerides with a degree of ethoxylation of from 3 to 100;
- alkyl ether carboxylic acids of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-CH<sub>2</sub>-COOH and cosmetically acceptable salts thereof, wherein R is an alkyl or alkenyl radical having from 5 to 30 carbon atoms and n is a number of from 5 to 30;

and wherein the preparation is a cosmetic skin or hair cleansing preparation, a cosmetic skin or hair care preparation or a deodorant preparation and has a total emulsifier content of less than 10 % by weight, based on a total weight of the microemulsion.

37. (previously presented) The preparation of claim 36, wherein the preparation is a translucent or transparent oil-in-water microemulsion.

38. - 40. (cancelled)

- 41. (currently amended) A cosmetic preparation, wherein the preparation is based on a translucent or transparent oil-in-water microemulsion having a particle diameter in the range from about  $10^{-2} \, \mu m$  to about  $10^{-1} \, \mu m$  and comprising
- an oil phase consisting essentially of constituents of low volatility;
- an aqueous phase;
- at least one W/O emulsifier;
- one or more O/W emulsifiers selected from
- polyethylene glycol ethers of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from an alkyl and alkenyl radicals and n is a number of from 10 to 80;
- etherified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from an alkyl and alkenyl radicals and n is a number of from 10 to 80;
- esterified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-C(O)-R', wherein R and R' are independently selected from an alkyl and alkenyl radicals and n is a number of from 10 to 80;
- cholesterol ethoxylates with a degree of ethoxylation of from 3 to 50;
- ethoxylated triglycerides with a degree of ethoxylation of from 3 to 100;
- alkyl ether carboxylic acids of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-CH<sub>2</sub>- COOH and cosmetically acceptable salts thereof, wherein R is an alkyl or alkenyl radical having from 5 to 30 carbon atoms and n is a number of from 5 to 30;

and wherein the preparation is a cosmetic skin or hair cleansing preparation, a cosmetic skin or hair care preparation or a deodorant preparation and has a total emulsifier content of less than 10 % by weight, based on a total weight of the microemulsion.

- 42. (previously presented) The preparation of claim 41, wherein the preparation further comprises one or more substances selected from astringents, sunscreens, detersive surfactants, cosmetically acceptable organic solvents and moisturizing and/or moisture retaining substances.
- 43. (previously presented) The preparation of claim 41, wherein the preparation is sprayable.
- 44. (currently amended) A cosmetic preparation, wherein the preparation is based on a translucent or transparent oil-in-water microemulsion having a particle diameter in the range from about  $10^{-2} \, \mu m$  to about  $10^{-1} \, \mu m$  and comprising
- an oil phase consisting essentially of constituents of low volatility;
- an aqueous phase;
- one or more O/W emulsifiers selected from
- polyethylene glycol ethers of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- etherified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- esterified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-C(O)-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- cholesterol ethoxylates with a degree of ethoxylation of from 3 to 50;
- ethoxylated triglycerides with a degree of ethoxylation of from 3 to 100;
- alkyl ether carboxylic acids of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-CH<sub>2</sub>-COOH and cosmetically

acceptable salts thereof, wherein R is an alkyl or alkenyl radical having from 5 to 30 carbon atoms and n is a number of from 5 to 30;

<u>and</u> wherein the preparation is a cosmetic skin or hair cleansing preparation, a cosmetic skin or hair care preparation or a deodorant preparation and has a total emulsifier content of less than 10 % by weight, based on a total weight of the microemulsion.

- 45. (previously presented) The preparation of claim 36, wherein the preparation is a cosmetic skin cleansing preparation, a cosmetic skin care preparation or a deodorant preparation.
- 46. (previously presented) The preparation of claim 41, wherein the preparation is a cosmetic skin cleansing preparation, a cosmetic skin care preparation or a deodorant preparation.
- 47. (previously presented) The preparation of claim 44, wherein the preparation is a cosmetic skin cleansing preparation, a cosmetic skin care preparation or a deodorant preparation.
- 48. (previously presented) The preparation of claim 47, wherein the preparation further comprises at least one W/O emulsifier selected from monoglycerol esters and diglycerol esters of alkanecarboxylic acids having a chain length of from 8 to 24 carbon atoms, monoglycerol ethers and diglycerol ethers of alcohols having a chain length of from 8 to 24 carbon atoms, propylene glycol esters of alkanecarboxylic acids having a chain length of from 8 to 24 carbon atoms, and sorbitan esters of alkanecarboxylic acids having a chain length of from 8 to 24 carbon atoms.

- 49. (currently amended) The preparation of claim 48, wherein the constituents of low volatility include oil phase comprises at least one of an ester of an alkanecarboxylic acid with a chain length of from 3 to 30 carbon atoms and an alcohol with a chain length of from 3 to 30 carbon atoms, a  $C_{12-15}$ -alkyl benzoate, a hydrocarbon wax, a dialkyl ether, cyclomethicone, and hexamethylcyclotrisiloxane.
- 50. (previously presented) The preparation of claim 49, wherein the one or more O/W emulsifiers are selected from
- polyethylene glycol ethers of formula R-O-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- etherified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- esterified fatty acid ethoxylates of formula R-COO-(-CH<sub>2</sub>-CH<sub>2</sub>-O-)<sub>n</sub>-C(O)-R', wherein R and R' are independently selected from alkyl and alkenyl radicals and n is a number of from 10 to 80;
- cholesterol ethoxylates with a degree of ethoxylation of from 3 to 50; and
- ethoxylated triglycerides with a degree of ethoxylation of from 3 to 100.
- 51. (previously presented) The preparation of claim 12, wherein the preparation is a cosmetic skin or hair cleansing preparation.
- 52. (previously presented) The preparation of claim 12, wherein the preparation is a cosmetic skin care preparation.

- 53. (previously presented) The preparation of claim 12, wherein the preparation is a cosmetic hair care preparation.
- 54. (previously presented) The preparation of claim 14, wherein the preparation is a deodorant preparation.
- 55. (previously presented) The preparation of claim 14, wherein the astringent comprises a basic aluminum chloride.